

Figure 2

OPS at Topol cleavage site

Figure 3A

TCRIBamS: TCRIBamAS: 5' AATTOGOGGCGCAAAAAGACTT GATO

GCGCCGGCGTTTTTCTGAA--CTAG--DMT 5'

OPS at Topol cleavage site

Figure 3B

TCRBstBS:

5' AATTCGCGGCCGCAAAAAGACTT-CG

TCRBstBAS:

GCGCCGGCGTTTTTCTGAA--GC--DMT 5'

Figure 3C

5' AATTCGCGGCCGCAAAAAGACTTGATC 3'

TCRIBamAS:


3' GCGCCGGCGTTTTTCTGAACTAG 5'


Figure 3D

GATC removed on topo cleavage to give BamHI compatible 5' overhang

5' AATTCGCGGCCGCAAAAGACTTGATCAAGTCTTTTTGCGGCCGCG

GCGCCGGCGTTTTCTGAACTAGTTCAGAAAAACGCCGGCGCTTAA 3'





"1" indicates site of topo cleavage

Oligo pair 4: TCR1BstBS + TCRABstBAS-DMT Oligo pair 5: TCR1BstBS + TCRABstBAS Oligo pair 6: TCR1BstBS + TCRABstBAS-P




Figure 5B





Figure 5C


20% PAGE UREA

Figure 6A



Adaptored pKSII

GATC overhang left after Topo chavage and removal of 4bp downstream from Topo cleavage ske



y site of Topo-cleavage

Figure 6 A - D

Figure 7A




Figure 8